

SUPPLEMENTARY MATERIAL

Recognition of frailty in older patients in three Danish Emergency Departments: A flash mob study

TABLE S1 Distribution of Clinical Frailty Scale score by all three ED sites

CFS score	Esbjerg (N=45)	Kolding (N=66)	OUH (N=114)	Total (N=225)
1	5	11%	16	24.2%
2	10	22%	8	12.1%
3	8	18%	4	6.1%
4	7	16%	14	21.2%
5	8	18%	10	15.2%
6	7	16%	8	12.1%
7	0	0%	6	9.1%
8	0	0%	0	0.0%
9	0	0%	0	0.0%
Low frailty (1-3)	23	51%	28	42.4%
Mild frailty (4-6)	22	49%	32	48.5%
Severe frailty (7-8)	0	0%	6	9.1%
Terminal (9)	0	0%	0	0.0%
			43	37.7%
			54	47.4%
			16	14.0%
			1	0.9%
				94
				108
				22
				1
				41.8%
				48.0%
				9.8%
				0.4%

TABLE S2 Location for admission distributed on the Clinical Frailty Score

Location for admission	Esbjerg (N=45)		Kolding (N=66)		OUH (N=114)		Total (N=225)	
Not admitted	13		34		50		97	
Low frailty (1-3)	7	53.8%	15	44.1%	21	42.0%	43	44.3%
Mild frailty (4-6)	6	46.2%	16	47.1%	22	44.0%	44	45.4%
Severe frailty (7-8)	0	0.0%	3	8.8%	7	14.0%	10	10.3%
Medical department	12		14		40		66	
Low frailty (1-3)	5	41.7%	5	35.7%	13	32.5%	23	34.8%
Mild frailty (4-6)	7	58.3%	7	50.0%	20	50.0%	34	51.5%
Severe frailty (7-8)	0	0.0%	2	14.3%	7	17.5%	9	13.6%
Surgical department	6		7		9		22	
Low frailty (1-3)	3	50.0%	2	28.6%	2	22.2%	7	31.8%
Mild frailty (4-6)	3	100.0%	4	57.1%	5	55.6%	12	54.5%
Severe frailty (7-8)	0	100.0%	1	14.3%	1	11.1%	2	9.1%
Terminal (9)	0	0.0%	0	0.0%	1	11.1%	1	4.5%
Emergency Department	14		9		15		38	
Low frailty (1-3)	8	57.1%	5	55.6%	7	46.7%	20	52.6%
Mild frailty (4-6)	6	42.9%	4	44.4%	7	46.7%	17	44.7%
Severe frailty (7-8)	0	0.0%	0	0.0%	1	6.7%	1	2.6%
Unknown	0		2		0		2	
Low frailty (1-3)	0	0.0%	1	50.0%	0	0.0%	1	50.0%
Mild frailty (4-6)	0	0.0%	1	50.0%	0	0.0%	1	50.0%