

Supplementary Table 2:

Referral causes and their proportional frequency per year during the study period. P-values are calculated using chi-square statistics

Columns by: year	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	P-value
n (%)	219 (5.2)	270 (6.4)	248 (5.9)	275 (6.5)	277 (6.6)	341 (8.1)	375 (8.9)	414 (9.8)	419 (9.9)	477 (11.3)	474 (11.2)	434 (10.3)	
Cause of referral, n (%)													
Positive clinical examination	96 (43.8)	108 (40.0)	104 (41.9)	66 (24.0)	55 (19.9)	79 (23.2)	81 (21.6)	118 (28.5)	123 (29.4)	131 (27.5)	133 (28.1)	139 (32.0)	<0.001
Breech presentation	64 (29.2)	71 (26.3)	83 (33.5)	130 (47.3)	143 (51.6)	173 (50.7)	195 (52.0)	175 (42.3)	184 (43.9)	213 (44.7)	234 (49.4)	198 (45.6)	<0.001
Multiple births	12 (5.5)	47 (17.4)	13 (5.2)	28 (10.2)	22 (7.9)	25 (7.3)	26 (6.9)	33 (8.0)	22 (5.3)	44 (9.2)	26 (5.5)	23 (5.3)	<0.001
Family history	12 (5.5)	13 (4.8)	20 (8.1)	28 (10.2)	30 (10.8)	32 (9.4)	40 (10.7)	61 (14.7)	56 (13.4)	73 (15.3)	68 (14.3)	71 (16.4)	<0.001
Oligohydramnios	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.4)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)	0.666
Congenital deformity	10 (4.6)	10 (3.7)	17 (6.9)	9 (3.3)	9 (3.2)	13 (3.8)	13 (3.5)	11 (2.7)	12 (2.9)	6 (1.3)	2 (0.4)	0 (0.0)	<0.001
Syndrome	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	2 (0.6)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0.30
Other	7 (3.2)	15 (5.6)	8 (3.2)	12 (4.4)	16 (5.8)	16 (4.7)	16 (4.3)	14 (3.4)	19 (4.5)	9 (1.9)	4 (0.8)	1 (0.2)	<0.001
Unknown	18 (8.2)	6 (2.2)	3 (1.2)	2 (0.7)	1 (0.4)	1 (0.3)	4 (1.1)	1 (0.2)	2 (0.5)	1 (0.2)	5 (1.1)	2 (0.5)	<0.001